

**Type 201 Stainless Steel Band**

Item #	Width Inches	Width (mm)	Thickness Each (in.)	Thickness Each (mm)	Feet/Coil	Weight	KG	Break Strength
BA202	1/4"	6.4	0.020	0.51	100	1.7	0.7	475
BA203	3/8"	9.6	0.025	0.64	100	3.2	1.5	891
BA204	1/2"	12.7	0.030	0.76	100	5.1	2.3	1425
BA205	5/8"	15.9	0.030	0.76	100	6.4	2.9	1781
BA206	3/4"	19.1	0.030	0.76	100	7.7	3.5	2137
BA207	1"	25.4	0.030	0.76	100	10.2	4.6	2850
BA208	1 1/4"	31.8	0.030	0.76	100	12.8	5.8	3563
BA210	2"	50.8	0.030	0.76	100	20.4	9.2	5700

**Type 201 Stainless Steel Band in Totes**

Item #	Width Inches	Width (mm)	Thickness Each (in.)	Thickness Each (mm)	Feet/Coil	Weight	KG	Break Strength
BA203T	3/8"	9.6	0.025	0.64	100	3.6	1.6	891
BA204T	1/2"	12.7	0.030	0.76	100	5.5	2.5	1425
BA205T	5/8"	15.9	0.030	0.76	100	6.8	3.1	1781
BA206T	3/4"	19.1	0.030	0.76	100	8.2	3.7	2138

**Type 316 Stainless Steel Band**

Item #	Width Inches	Width (mm)	Thickness Each (in.)	Thickness Each (mm)	Feet/Coil	Weight	KG	Break Strength
BA403	3/8"	9.6	0.025	0.64	100	3.5	1.6	703
BA404	1/2"	12.7	0.030	0.76	100	4.9	2.2	1125
BA405	5/8"	15.9	0.030	0.76	100	6.2	2.8	1406
BA406	3/4"	19.1	0.030	0.76	100	7.5	3.4	1688

**Type 316 Stainless Steel Band in Totes**

Item #	Width Inches	Width (mm)	Thickness Each (in.)	Thickness Each (mm)	Feet/Coil	Weight	KG	Break Strength
BA403T	3/8"	9.6	0.025	0.64	100	3.9	1.7	703
BA404T	1/2"	12.7	0.030	0.76	100	5.3	2.4	1125
BA405T	5/8"	15.9	0.030	0.76	100	6.6	3	1406
BA406T	3/4"	19.1	0.030	0.76	100	7.9	3.5	1688

**Type 201 and 316 Heavy Duty Stainless Steel Band**

Item #	Width Inches	Width (mm)	Thickness Each (in.)	Thickness Each (mm)	Feet/Coil	Weight	KG	Break Strength
BA430	3/4"	19.1	0.044	1.1	100	11.6	5.4	3135
BA430-316	3/4"	19.1	0.044	1.1	100	11.6	5.4	2475
BA431	1"	25.4	0.044	1.1	100	13.7	6.4	4180
BA432	1 1/4"	31.8	0.044	1.1	100	17.2	8.0	5225
BA432-316	1 1/4"	31.8	0.044	1.1	100	17.2	8.0	4125

**Lite Gauge Band Type 201 Stainless Steel Band**

Item #	Width Inches	Width (mm)	Thickness Each (in.)	Thickness Each (mm)	Feet/Coil	Weight	KG	Break Strength
LG134	1/2"	12.7	0.015	0.38	100	2.9	1.3	713
LG135	5/8"	15.9	0.015	0.38	100	3.6	1.7	890
LG136	3/4"	19.1	0.015	0.38	100	4.4	2	1069
LG128	1/2"	12.7	0.015	0.38	200	5.8	2.6	713
LG129	5/8"	15.9	0.015	0.38	200	7.3	3.2	890
LG130	3/4"	19.1	0.015	0.38	200	8.8	3.9	1069
LG181	1/2"	12.7	0.020	0.51	100	3.8	1.7	950
LG171	5/8"	15.9	0.020	0.51	100	5.6	2.6	1188
LG161	3/4"	19.1	0.020	0.51	100	5.7	2.5	1425
LG183	1/2"	12.7	0.020	0.51	200	7.6	3.4	950
LG173	5/8"	15.9	0.020	0.51	200	11.2	5.2	1188
LG163	3/4"	19.1	0.020	0.51	200	11.4	5	1425
LG145	5/8"	15.9	0.025	0.64	100	5.6	2.6	1484
LG146	3/4"	19.1	0.025	0.64	100	6.7	3	1781
LG149	5/8"	15.9	0.025	0.64	200	11.2	5.2	1484
LG150	3/4"	19.1	0.025	0.64	200	13.4	6	1781

**Lite Gauge Band Type 201 Stainless Steel Band in Totes**

Item #	Width Inches	Width (mm)	Thickness Each (in.)	Thickness Each (mm)	Feet/Coil	Weight	KG	Break Strength
LG134T	1/2"	12.7	0.015	0.38	100	3.3	1.5	735
LG135T	5/8"	15.9	0.015	0.38	100	4	1.8	890
LG136T	3/4"	19.1	0.015	0.38	100	4.8	2.1	1069
LG181T	1/2"	12.7	0.020	0.51	100	4.2	1.9	950
LG171T	5/8"	15.9	0.020	0.51	100	6	2.7	1188
LG161T	3/4"	19.1	0.020	0.51	100	6.1	2.8	1425
LG145T	5/8"	15.9	0.025	0.64	100	6.2	2.8	1484
LG146T	3/4"	19.1	0.025	0.64	100	7.2	3.2	1781

**Lite Gauge Band Type 304 Stainless Steel Band**

Item #	Width Inches	Width (mm)	Thickness Each (in.)	Thickness Each (mm)	Feet/Coil	Weight	KG	Break Strength
LG134-304	1/2"	12.7	0.015	0.38	100	2.9	1.3	563
LG135-304	5/8"	15.9	0.015	0.38	100	3.6	1.7	703
LG136-304	3/4"	19.1	0.015	0.38	100	4.4	2	844
LG128-304	1/2"	12.7	0.015	0.38	200	5.8	2.6	563
LG129-304	5/8"	15.9	0.015	0.38	200	7.3	3.2	703
LG130-304	3/4"	19.1	0.015	0.38	200	8.8	3.9	844
LG181-304	1/2"	12.7	0.020	0.51	100	3.8	1.7	750
LG171-304	5/8"	15.9	0.020	0.51	100	5.6	2.6	938
LG161-304	3/4"	19.1	0.020	0.51	100	5.7	2.5	1125
LG183-304	1/2"	12.7	0.020	0.51	200	7.6	3.4	750
LG173-304	5/8"	15.9	0.020	0.51	200	11.2	5.2	938
LG163-304	3/4"	19.1	0.020	0.51	200	11.4	5	1125

**Lite Gauge Band Type 304 Stainless Steel Band in Totes**

Item #	Width Inches	Width (mm)	Thickness Each (in.)	Thickness Each (mm)	Feet/Coil	Weight	KG	Break Strength
LG134-304T	1/2"	12.7	0.015	0.38	100	3.3	1.5	563
LG135-304T	5/8"	15.9	0.015	0.38	100	4	1.8	703
LG136-304T	3/4"	19.1	0.015	0.38	100	4.8	2.1	844
LG181-304T	1/2"	12.7	0.020	0.51	100	4.2	1.9	750
LG171-304T	5/8"	15.9	0.020	0.51	100	6	2.7	938
LG161-304T	3/4"	19.1	0.020	0.51	100	6.1	2.8	1125

**Mill Coils Type 201 or 304 Stainless Steel Band, ribbon wound and sold by the pound**

Item #	Width Inches	Width (mm)	Thickness Each (in.)	Thickness Each (mm)				Break Strength
LG134LB	Type 201 1/2"	12.7	0.015	0.38				735
LG135LB	Type 201 5/8"	15.9	0.015	0.38				890
LG136LB	Type 201 3/4"	19.1	0.015	0.38				1069
LG181LB	Type 201 1/2"	12.7	0.020	0.51				950
LG171LB	Type 201 5/8"	15.9	0.020	0.51				703
LG161LB	Type 201 3/4"	19.1	0.020	0.51				1425
LG134-304LB	Type 304 1/2"	12.7	0.015	0.38				563
LG135-304LB	Type 304 5/8"	15.9	0.015	0.38				703
LG136-304LB	Type 304 3/4"	19.1	0.015	0.38				844
LG181-304LB	Type 304 1/2"	12.7	0.020	0.51				750
LG171-304LB	Type 304 5/8"	15.9	0.020	0.51				938
LG161-304LB	Type 304 3/4"	19.1	0.020	0.51				1125

**Type 316 Stainless Steel PPA 571 coated Band**

Item #	Width Inches	Width (mm)	Thickness Each (in.)	Thickness Each (mm)	Feet/Coil	Weight	KG	Break Strength
BACO4349	1/2"	12.7	.048*	1.22*	82.5	3.5	1.6	600
BACO4359	5/8"	15.9	.048*	1.22*	82.5	4.4	2	750

\*Material thickness includes PVC coating with base material thickness @ .016"

**Type 201 Color Fast™ Band**

Item #	Width Inches	Width (mm)	Thickness Each (in.)	Thickness Each (mm)	Feet/Coil	Weight	KG	Break Strength
BA144 Black	Type 201 1/2" Black Polyester Coated	12.7	0.025	0.64	100	5.5	2.5	1188
BA144 Brown	Type 201 1/2" Brown Polyester Coated	12.7	0.025	0.64	100	5.5	2.5	1188
BA144 Dark Blue	Type 201 1/2" Blue Polyester Coated	12.7	0.025	0.64	100	5.5	2.5	1188
BA144 Gray	Type 201 1/2" Gray Polyester Coated	12.7	0.025	0.64	100	5.5	2.5	1188
BA144 Green	Type 201 1/2" Green Polyester Coated	12.7	0.025	0.64	100	5.5	2.5	1188
BA144 Light Blue	Type 201 1/2" Light Blue Polyester Coated	12.7	0.025	0.64	100	5.5	2.5	1188
BA144 Orange	Type 201 1/2" Orange Polyester Coated	12.7	0.025	0.64	100	5.5	2.5	1188
BA144 Pink	Type 201 1/2" Pink Polyester Coated	12.7	0.025	0.64	100	5.5	2.5	1188
BA144 Purple	Type 201 1/2" Purple Polyester Coated	12.7	0.025	0.64	100	5.5	2.5	1188
BA144 Red	Type 201 1/2" Red Polyester Coated	12.7	0.025	0.64	100	5.5	2.5	1188
BA144 Tan	Type 201 1/2" Tan Polyester Coated	12.7	0.025	0.64	100	5.5	2.5	1188
BA144 Yellow	Type 201 1/2" Yellow Polyester Coated	12.7	0.025	0.64	100	5.5	2.5	1188
BA144 White	Type 201 1/2" White Polyester Coated	12.7	0.025	0.64	100	5.5	2.5	1188
BA145 Black	Type 201 5/8" Black Polyester Coated	15.9	0.025	0.64	100	6.4	2.9	1484
BA145 Brown	Type 201 5/8" Brown Polyester Coated	15.9	0.025	0.64	100	6.4	2.9	1484
BA145 Dark Blue	Type 201 5/8" Dark Blue Polyester Coated	15.9	0.025	0.64	100	6.4	2.9	1484
BA145 Gray	Type 201 5/8" Gray Polyester Coated	15.9	0.025	0.64	100	6.4	2.9	1484
BA145 Green	Type 201 5/8" Green Polyester Coated	15.9	0.025	0.64	100	6.4	2.9	1484
BA145 Light Blue	Type 201 5/8" Light Blue Polyester Coated	15.9	0.025	0.64	100	6.4	2.9	1484
BA145 Orange	Type 201 5/8" Orange Polyester Coated	15.9	0.025	0.64	100	6.4	2.9	1484
BA145 Pink	Type 201 5/8" Pink Polyester Coated	15.9	0.025	0.64	100	6.4	2.9	1484
BA145 Purple	Type 201 5/8" Purple Polyester Coated	15.9	0.025	0.64	100	6.4	2.9	1484

Type 201 Color Fast™ Band								
Item #	Width Inches	Width (mm)	Thickness Each (in.)	Thickness Each (mm)	Feet/Coil	Weight	KG	Break Strength
BA145 Red	Type 201 5/8" Red Polyester Coated	15.9	0.025	0.64	100	6.4	2.9	1484
BA145 Stainless Steel	Type 201 5/8" Stainless Steel	15.9	0.025	0.64	100	6.4	2.9	1484
BA145 Tan	Type 201 5/8" Tan Polyester Coated	15.9	0.025	0.64	100	6.4	2.9	1484
BA145 Turquoise	Type 201 5/8" Turquoise Polyester Coated	15.9	0.025	0.64	100	6.4	2.9	1484
BA145 White	Type 201 5/8" White Polyester Coated	15.9	0.025	0.64	100	6.4	2.9	1484

BA206 K110	Type 201 3/4" x .030 x 100' Black Polyester Coated Band	19.1	0.025	0.76	100	7.7	3.5	2137
BA206T K110	Type 201 3/4" x .030 x 100' Black Polyester Coated Band	19.1	0.025	0.76	100	7.7	3.5	2137

Type 201 Color Fast™ Band Cut to Length								
Item #	Width Inches	Width (mm)	Thickness Each (in.)	Thickness Each (mm)	Length (in.)	Length (cm)	Pkg/Qty	Break Strength
CTL 1/2" Black 18" WS	Type 201 1/2" x 025 x 18" with wing seal	12.7	0.025	0.64	18	45.7	100/box	1188
CTL 1/2" Black 20" WS	Type 201 1/2" x 025 x 20" with wing seal	12.7	0.025	0.64	20	50.8	100/box	1188
CTL 1/2" Black 24" WS	Type 201 1/2" x 025 x 24" with wing seal	12.7	0.025	0.64	24	60.9	100/box	1188
CTL 1/2" Black 30" WS	Type 201 1/2" x 025 x 30" with wing seal	12.7	0.025	0.64	30	76.2	100/box	1188
CTL 1/2" Brown 18" WS	Type 201 1/2" x 025 x 18" with wing seal	12.7	0.025	0.64	18	45.7	100/box	1188
CTL 1/2" Brown 20" WS	Type 201 1/2" x 025 x 20" with wing seal	12.7	0.025	0.64	20	50.8	100/box	1188
CTL 1/2" Brown 24" WS	Type 201 1/2" x 025 x 24" with wing seal	12.7	0.025	0.64	24	60.9	100/box	1188
CTL 1/2" Brown 30" WS	Type 201 1/2" x 025 x 30" with wing seal	12.7	0.025	0.64	30	76.2	100/box	1188
CTL 1/2" Dark Blue 18" WS	Type 201 1/2" x 025 x 18" with wing seal	12.7	0.025	0.64	18	45.7	100/box	1188
CTL 1/2" Dark Blue 20" WS	Type 201 1/2" x 025 x 20" with wing seal	12.7	0.025	0.64	20	50.8	100/box	1188
CTL 1/2" Dark Blue 24" WS	Type 201 1/2" x 025 x 24" with wing seal	12.7	0.025	0.64	24	60.9	100/box	1188
CTL 1/2" Dark Blue 30" WS	Type 201 1/2" x 025 x 30" with wing seal	12.7	0.025	0.64	30	76.2	100/box	1188
CTL 1/2" Gray 18" WS	Type 201 1/2" x 025 x 18" with wing seal	12.7	0.025	0.64	18	45.7	100/box	1188
CTL 1/2" Gray 20" WS	Type 201 1/2" x 025 x 20" with wing seal	12.7	0.025	0.64	20	50.8	100/box	1188
CTL 1/2" Gray 24" WS	Type 201 1/2" x 025 x 24" with wing seal	12.7	0.025	0.64	24	60.9	100/box	1188
CTL 1/2" Gray 30" WS	Type 201 1/2" x 025 x 30" with wing seal	12.7	0.025	0.64	30	76.2	100/box	1188
CTL 1/2" Green 18" WS	Type 201 1/2" x 025 x 18" with wing seal	12.7	0.025	0.64	18	45.7	100/box	1188
CTL 1/2" Green 20" WS	Type 201 1/2" x 025 x 20" with wing seal	12.7	0.025	0.64	20	50.8	100/box	1188
CTL 1/2" Green 24" WS	Type 201 1/2" x 025 x 24" with wing seal	12.7	0.025	0.64	24	60.9	100/box	1188
CTL 1/2" Green 30" WS	Type 201 1/2" x 025 x 30" with wing seal	12.7	0.025	0.64	30	76.2	100/box	1188
CTL 1/2" Lt Blue 18" WS	Type 201 1/2" x 025 x 18" with wing seal	12.7	0.025	0.64	18	45.7	100/box	1188
CTL 1/2" Lt Blue 20" WS	Type 201 1/2" x 025 x 20" with wing seal	12.7	0.025	0.64	20	50.8	100/box	1188
CTL 1/2" Lt Blue 24" WS	Type 201 1/2" x 025 x 24" with wing seal	12.7	0.025	0.64	24	60.9	100/box	1188
CTL 1/2" Lt Blue 30" WS	Type 201 1/2" x 025 x 30" with wing seal	12.7	0.025	0.64	30	76.2	100/box	1188
CTL 1/2" Orange 18" WS	Type 201 1/2" x 025 x 18" with wing seal	12.7	0.025	0.64	18	45.7	100/box	1188
CTL 1/2" Orange 20" WS	Type 201 1/2" x 025 x 20" with wing seal	12.7	0.025	0.64	20	50.8	100/box	1188
CTL 1/2" Orange 24" WS	Type 201 1/2" x 025 x 24" with wing seal	12.7	0.025	0.64	24	60.9	100/box	1188
CTL 1/2" Orange 30" WS	Type 201 1/2" x 025 x 30" with wing seal	12.7	0.025	0.64	30	76.2	100/box	1188
CTL 1/2" Pink 18" WS	Type 201 1/2" x 025 x 18" with wing seal	12.7	0.025	0.64	18	45.7	100/box	1188
CTL 1/2" Pink 20" WS	Type 201 1/2" x 025 x 20" with wing seal	12.7	0.025	0.64	20	50.8	100/box	1188
CTL 1/2" Pink 24" WS	Type 201 1/2" x 025 x 24" with wing seal	12.7	0.025	0.64	24	60.9	100/box	1188
CTL 1/2" Pink 30" WS	Type 201 1/2" x 025 x 30" with wing seal	12.7	0.025	0.64	30	76.2	100/box	1188
CTL 1/2" Purple 18" WS	Type 201 1/2" x 025 x 18" with wing seal	12.7	0.025	0.64	18	45.7	100/box	1188
CTL 1/2" Purple 20" WS	Type 201 1/2" x 025 x 20" with wing seal	12.7	0.025	0.64	20	50.8	100/box	1188
CTL 1/2" Purple 24" WS	Type 201 1/2" x 025 x 24" with wing seal	12.7	0.025	0.64	24	60.9	100/box	1188
CTL 1/2" Purple 30" WS	Type 201 1/2" x 025 x 30" with wing seal	12.7	0.025	0.64	30	76.2	100/box	1188
CTL 1/2" Red 18" WS	Type 201 1/2" x 025 x 18" with wing seal	12.7	0.025	0.64	18	45.7	100/box	1188
CTL 1/2" Red 20" WS	Type 201 1/2" x 025 x 20" with wing seal	12.7	0.025	0.64	20	50.8	100/box	1188
CTL 1/2" Red 24" WS	Type 201 1/2" x 025 x 24" with wing seal	12.7	0.025	0.64	24	60.9	100/box	1188
CTL 1/2" Red 30" WS	Type 201 1/2" x 025 x 30" with wing seal	12.7	0.025	0.64	30	76.2	100/box	1188
CTL 1/2" Tan 18" WS	Type 201 1/2" x 025 x 18" with wing seal	12.7	0.025	0.64	18	45.7	100/box	1188
CTL 1/2" Tan 20" WS	Type 201 1/2" x 025 x 20" with wing seal	12.7	0.025	0.64	20	50.8	100/box	1188
CTL 1/2" Tan 24" WS	Type 201 1/2" x 025 x 24" with wing seal	12.7	0.025	0.64	24	60.9	100/box	1188
CTL 1/2" Tan 30" WS	Type 201 1/2" x 025 x 30" with wing seal	12.7	0.025	0.64	30	76.2	100/box	1188
CTL 1/2" White 18" WS	Type 201 1/2" x 025 x 18" with wing seal	12.7	0.025	0.64	18	45.7	100/box	1188
CTL 1/2" White 20" WS	Type 201 1/2" x 025 x 20" with wing seal	12.7	0.025	0.64	20	50.8	100/box	1188
CTL 1/2" White 24" WS	Type 201 1/2" x 025 x 24" with wing seal	12.7	0.025	0.64	24	60.9	100/box	1188
CTL 1/2" White 30" WS	Type 201 1/2" x 025 x 30" with wing seal	12.7	0.025	0.64	30	76.2	100/box	1188
CTL 1/2" Yellow 18" WS	Type 201 1/2" x 025 x 18" with wing seal	12.7	0.025	0.64	18	45.7	100/box	1188

**Type 201 Color Fast™ Band Cut to Length**

Item #	Width Inches	Width (mm)	Thickness Each (in.)	Thickness Each (mm)	Length (in.)	Length (cm)	Pkg/Qty	Break Strength
CTL 1/2" Yellow 20" WS	Type 201 1/2" x 025 x 20" with wing seal	12.7	0.025	0.64	20	50.8	100/box	1188
CTL 1/2" Yellow 24" WS	Type 201 1/2" x 025 x 24" with wing seal	12.7	0.025	0.64	24	60.9	100/box	1188
CTL 1/2" Yellow 30" WS	Type 201 1/2" x 025 x 30" with wing seal	12.7	0.025	0.64	30	76.2	100/box	1188

*Other lengths are available and this product can be made with a black wing seal instead of a stainless steel wing seal - Custom Order*

**Type 201 Color Fast™ Band Cut to Length**

Item #	Width Inches	Width (mm)	Thickness Each (in.)	Thickness Each (mm)	Length (in.)	Length (cm)	Pkg/Qty	Break Strength
CTL 5/8" Black 18" CP	Type 201 5/8" x 025 x 18" with center punch seal	15.9	0.025	0.64	18	45.7	100/box	1484
CTL 5/8" Black 24" CP	Type 201 5/8" x 025 x 24" with center punch seal	15.9	0.025	0.64	24	60.9	100/box	1484
CTL 5/8" Black 30" CP	Type 201 5/8" x 025 x 30" with center punch seal	15.9	0.025	0.64	30	76.2	100/box	1484

**Type 201 Color Fast™ Band Cut to Length**

Item #	Width Inches	Width (mm)	Thickness Each (in.)	Thickness Each (mm)	Length (in.)	Length (cm)	Pkg/Qty	Break Strength
CTL 5/8" Brown 18" CP	Type 201 5/8" x 025 x 18" with center punch seal	15.9	0.025	0.64	18	45.7	100/box	1484
CTL 5/8" Brown 24" CP	Type 201 5/8" x 025 x 24" with center punch seal	15.9	0.025	0.64	24	60.9	100/box	1484
CTL 5/8" Brown 30" CP	Type 201 5/8" x 025 x 30" with center punch seal	15.9	0.025	0.64	30	76.2	100/box	1484
CTL 5/8" Dark Blue 18" CP	Type 201 5/8" x 025 x 18" with center punch seal	15.9	0.025	0.64	18	45.7	100/box	1484
CTL 5/8" Dark Blue 24" CP	Type 201 5/8" x 025 x 24" with center punch seal	15.9	0.025	0.64	24	60.9	100/box	1484
CTL 5/8" Dark Blue 30" CP	Type 201 5/8" x 025 x 30" with center punch seal	15.9	0.025	0.64	30	76.2	100/box	1484
CTL 5/8" Gray 18" CP	Type 201 5/8" x 025 x 18" with center punch seal	15.9	0.025	0.64	18	45.7	100/box	1484
CTL 5/8" Gray 24" CP	Type 201 5/8" x 025 x 24" with center punch seal	15.9	0.025	0.64	24	60.9	100/box	1484
CTL 5/8" Gray 30" CP	Type 201 5/8" x 025 x 30" with center punch seal	15.9	0.025	0.64	30	76.2	100/box	1484
CTL 5/8" Green 18" CP	Type 201 5/8" x 025 x 18" with center punch seal	15.9	0.025	0.64	18	45.7	100/box	1484
CTL 5/8" Green 24" CP	Type 201 5/8" x 025 x 24" with center punch seal	15.9	0.025	0.64	24	60.9	100/box	1484
CTL 5/8" Green 30" CP	Type 201 5/8" x 025 x 30" with center punch seal	15.9	0.025	0.64	30	76.2	100/box	1484
CTL 5/8" Lt Blue 18" CP	Type 201 5/8" x 025 x 18" with center punch seal	15.9	0.025	0.64	18	45.7	100/box	1484
CTL 5/8" Lt Blue 24" CP	Type 201 5/8" x 025 x 24" with center punch seal	15.9	0.025	0.64	24	60.9	100/box	1484
CTL 5/8" Lt Blue 30" CP	Type 201 5/8" x 025 x 30" with center punch seal	15.9	0.025	0.64	30	76.2	100/box	1484
CTL 5/8" Orange 18" CP	Type 201 5/8" x 025 x 18" with center punch seal	15.9	0.025	0.64	18	45.7	100/box	1484
CTL 5/8" Orange 24" CP	Type 201 5/8" x 025 x 24" with center punch seal	15.9	0.025	0.64	24	60.9	100/box	1484
CTL 5/8" Orange 30" CP	Type 201 5/8" x 025 x 30" with center punch seal	15.9	0.025	0.64	30	76.2	100/box	1484
CTL 5/8" Pink 18" CP	Type 201 5/8" x 025 x 18" with center punch seal	15.9	0.025	0.64	18	45.7	100/box	1484
CTL 5/8" Pink 24" CP	Type 201 5/8" x 025 x 24" with center punch seal	15.9	0.025	0.64	24	60.9	100/box	1484
CTL 5/8" Pink 30" CP	Type 201 5/8" x 025 x 30" with center punch seal	15.9	0.025	0.64	30	76.2	100/box	1484
CTL 5/8" Purple 18" CP	Type 201 5/8" x 025 x 18" with center punch seal	15.9	0.025	0.64	18	45.7	100/box	1484
CTL 5/8" Purple 24" CP	Type 201 5/8" x 025 x 24" with center punch seal	15.9	0.025	0.64	24	60.9	100/box	1484
CTL 5/8" Purple 30" CP	Type 201 5/8" x 025 x 30" with center punch seal	15.9	0.025	0.64	30	76.2	100/box	1484
CTL 5/8" Red 18" CP	Type 201 5/8" x 025 x 18" with center punch seal	15.9	0.025	0.64	18	45.7	100/box	1484
CTL 5/8" Red 24" CP	Type 201 5/8" x 025 x 24" with center punch seal	15.9	0.025	0.64	24	60.9	100/box	1484
CTL 5/8" Red 30" CP	Type 201 5/8" x 025 x 30" with center punch seal	15.9	0.025	0.64	30	76.2	100/box	1484
CTL 5/8" SS 18" CP	Type 201 5/8" x 025 x 18" with center punch seal	15.9	0.025	0.64	18	45.7	100/box	1484
CTL 5/8" SS 24" CP	Type 201 5/8" x 025 x 24" with center punch seal	15.9	0.025	0.64	24	60.9	100/box	1484
CTL 5/8" SS 30" CP	Type 201 5/8" x 025 x 30" with center punch seal	15.9	0.025	0.64	30	76.2	100/box	1484
CTL 5/8" Tan 18" CP	Type 201 5/8" x 025 x 18" with center punch seal	15.9	0.025	0.64	18	45.7	100/box	1484
CTL 5/8" Tan 24" CP	Type 201 5/8" x 025 x 24" with center punch seal	15.9	0.025	0.64	24	60.9	100/box	1484
CTL 5/8" Tan 30" CP	Type 201 5/8" x 025 x 30" with center punch seal	15.9	0.025	0.64	30	76.2	100/box	1484
CTL 5/8" White 18" CP	Type 201 5/8" x 025 x 18" with center punch seal	15.9	0.025	0.64	18	45.7	100/box	1484
CTL 5/8" White 24" CP	Type 201 5/8" x 025 x 24" with center punch seal	15.9	0.025	0.64	24	60.9	100/box	1484
CTL 5/8" White 30" CP	Type 201 5/8" x 025 x 30" with center punch seal	15.9	0.025	0.64	30	76.2	100/box	1484
CTL 5/8" Yellow 18" CP	Type 201 5/8" x 025 x 18" with center punch seal	15.9	0.025	0.64	18	45.7	100/box	1484
CTL 5/8" Yellow 24" CP	Type 201 5/8" x 025 x 24" with center punch seal	15.9	0.025	0.64	24	60.9	100/box	1484
CTL 5/8" Yellow 30" CP	Type 201 5/8" x 025 x 30" with center punch seal	15.9	0.025	0.64	30	76.2	100/box	1484

*Other lengths are available and this product can be made with a black center punch seal or wing seal instead of a stainless steel center punch - Custom Order*